	Application No.	Applicant(s)
Notice of Allowability	10/702 544	MATCHER HINLIGH
	10/762,541 Examiner	MATSUDA, JUN-ICHI Art Unit
	Barry W. Taylor	2617
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject	application. If not included on will be mailed in due course. THIS
1. This communication is responsive to <u>12/17/07</u> .		
2. The allowed claim(s) is/are 1-7, 9-32, 34-70 renumbered as claims 1-68.		
3. ☑ Acknowledgment is made of a claim for foreign priority ur a) ☑ All b) ☐ Some* c) ☐ None of the:	nder 35 U.S.C. § 119(a)-(d) or (f).	
 ☐ Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🔲 Interview Summa	ry (PTO-413),
3. ☑ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail D 7. ☐ Examiner's Amen	dment/Comment
Paper No./Mail Date 3/5/04 7/16/04 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stater	ment of Reasons for Allowance
of Biological Material	9.	

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-7, 9-32 and 34-70 renumbered as claims 1-68 are allowed.
- 2. The following is an examiner's statement of reasons for allowance.

Prior art of record fails to teach a system, method and mobile terminal including a plurality of location processors wherein a controlling node transmits a control message to a mobile terminal in response to a location request message from a client terminal, the location request message containing requested accuracy of location information of the mobile terminal and the control message containing a copy of the requested accuracy, the mobile terminal being responsive to the control message for selecting one of the positioning methods that satisfies the requested accuracy of the control message and operating the location processor of the selected method to produce measurement data; wherein the mobile terminal has capability information indicating positioning methods supported by the mobile terminal and selectability of the positioning methods; wherein the controlling node is arranged to receive the capability information from the mobile terminal as recited in independent claims 1, 26, 52 and depicted in figure 5.

Prior art of record Guyot (U.S. Patent No. 7,016,693) teaches a client terminal capable of sending location request containing a specified accuracy for obtaining a location estimate of a mobile terminal (see col. 7 lines 47-65, col. 8

Application/Control Number:

10/762,541 Art Unit: 2617

lines 15-32 and especially col. 8 lines 38-50) but falls short of teaching "the mobile terminal being responsive to the control message for selecting one of the positioning methods that satisfies the requested accuracy of the control message and operating the location processor of the selected method to produce measurement data; wherein the mobile terminal has capability information indicating positioning methods supported by the mobile terminal and selectability of the positioning methods; wherein the controlling node is arranged to receive the capability information from the mobile terminal" as recited in independent claims 1, 26, 52 and depicted in figure 5.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Barry W. Taylor, telephone number (571) 272-7509, who is available Monday-Thursday, 6:30am to 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Trost, can be reached at (571) 272-7872. The central facsimile phone number for this group is **571-273-8300**.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group 2600 receptionist whose telephone number is (571) 272-2600, the 2600 Customer Service telephone number is (571) 272-2600.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public 10/762,541 Art Unit: 2617

PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Centralized Delivery Policy: For patent related correspondence, hand carry deliveries must be made to the Customer Service Window (now located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must be sent to the central fax number (571-273-8300).

Barry W. Taylor Art Unit 2617

BARRY TAYLOR
PRIMARY EXAMINE